|               |         |      |     |          |                            |           |                               |                               | DQA:       | ; Date:                              |                           |
|---------------|---------|------|-----|----------|----------------------------|-----------|-------------------------------|-------------------------------|------------|--------------------------------------|---------------------------|
| NCR: Ye       | s / No  |      |     |          | WORK ORDER NON-C           | ONFOR     | MANCE / UP                    |                               | QA Closed: | Date:                                |                           |
| Work Order    | :       |      |     |          | DISPOSITION                |           | a                             | AGAINST DEI                   | PARTMENT   |                                      | F                         |
| Part No       | )       |      |     | <u> </u> | Rework Scrap Use-as-is     |           | Skid-tube Machining noforming | Crosstube Small Fab Finishing |            | Water Jet d. Eng. Coor. re/Packaging | Engineering Quality Other |
| NCR No        | D       |      |     |          | Work Order Update          |           | Large Fab                     | Composite                     | ·          | Supplier                             |                           |
| Root          | * 840 ( |      |     | Descri   | ption of work order update | Initial   | Ac                            | tion                          | Sign &     |                                      |                           |
| Cause         | Date    | Step | Qty | (        | or Non-conformance         | Chief Eng | Desc                          | ription                       | Date       | Verification                         | QC Inspector              |
| Doc/Data      |         |      |     |          |                            |           |                               |                               |            |                                      |                           |
| Equip/Tooling |         |      |     |          |                            |           |                               |                               |            |                                      |                           |
| Operator      |         |      | :   |          |                            |           |                               |                               |            |                                      |                           |
| Material      |         |      |     |          | •                          |           |                               |                               |            |                                      |                           |
| Setup         |         |      |     |          |                            |           |                               |                               |            |                                      |                           |
| Other         |         |      |     |          |                            |           |                               |                               |            |                                      |                           |
| Process       |         | }    |     |          |                            | 1         | Į                             |                               |            |                                      |                           |

**Landing Gear** General Bend Grain Ovalized Pressure/Forced Bending Centre Not Concentric to O/S BOM/Route Hardware Over/Under tolerance Temperature/Cure Cracks Broken/Damaged Inspection Incomplete Part Incorrect Weld Crushed/Crimped. Wrong Stock Pulled Burrs Instructions Incomplete/Unclear Part Lost/Missing Cuffs Contamination Maintenance Part Moved Heat Treat Countersink Mislabeled Positioned Wrong Other Inspection Strip in Tube Cut Too Short Misread Power Loss/Surge Ripples in Bend Drill Holes Offset Torque Waves in Extrusion Drawing Out of Calibration Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio Outside Dimensions

**FAULT CATEGORY** 

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Supplier Training Unapproved \*93422\*

Page 2

November-19-12 10:07:01 AM D2938-2 Item ID: Accept \*N900040100\* Setup Start **Revision ID:** Saddle RH Out, 206 Item Name: Start Qty: 6.00 **Start Date:** 11/15/12 **Cust Item ID:** Required Date: 12/07/12 Req'd Qty: 6.00 **Customer:** Reference: Start Run Date:\_\_\_\_\_ Process Plan: Tooling: **Approvals:** Stop QC: Date: SPC (Y/N): Date: Tool # Plan Reject Sequence ID/ **Operation** Set Up/ Tool ID Accept Reject Insp. Qty Number Stamp Work Center ID Description **Run Hours** Code Qty 130 QC8- Inspect parts - second check 0.00 13/0//06 \*130\* 0.00 QC Memo Quality Control 140 Chemical Conversion Coat per QSI005 4.1 0.00 \*140\* 0.00 HandFinish Memo Hand Finishing White Gloss(Ref.4,3.5.1), per QSI005 4.3-Alum 150 0.00 G & BL 13-1-7. \*150\* Powdercoat 0.00 Memo START TIME: OVEN TEMPERATURE: Powder Coating FINISH TIME:

|      |          |                                     | DQA: | Date: |
|------|----------|-------------------------------------|------|-------|
| NCR: | Yes / No | WORK ORDER NON-CONFORMANCE / UPDATE |      |       |

|               |          |                    |           |          |                   |   |                       |           |  |   | QA Closed:                  | Date   | 5:                        |
|---------------|----------|--------------------|-----------|----------|-------------------|---|-----------------------|-----------|--|---|-----------------------------|--|---------------------------|
| Work Ord      | er:      |                    |           |          |                   | DISPOSITION                                       |                       |           |  | AGAINST DE                              | PARTMENT                    | PROCESS  |                           |
| Part I        | No.      |                    |           |          |                   | Rework<br>Scrap<br>Use-as-is<br>Work Order Update | T                     | l<br>herm | Skid-tube  Machining  noforming  Large Fab | Crosstube Small Fab Finishing Composite |                             | Water Jet<br>d. Eng. Coor.<br>re/Packaging<br>Supplier | Engineering Quality Other |
| Root          |          |                    |           | 1        | Descri            | ption of work order update                        | Initi                 | ial       | Act  | tion                                    | Sign &                      |  |                           |
| Cause         |          | Date               | Step      | Qty      |                   | or Non-conformance                                | Chief                 | Eng       | Desci                                      | ription                                 | Date                        | Verification   | QC Inspector              |
| Doc/Data      |          |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Equip/Tooling |          |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Operator      |          |                    |           |          |                   |   | 1                     |           |  |   |                             |  |                           |
| Material      |          |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Setup         |          |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Other         |          |                    |           |          |                   |   | įs.                   |           |  |   |                             |  |                           |
| Process       |          |                    |           |          |                   |   | a.                    |           |  |   |                             |  |                           |
| Supplier      |          |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Training      | _        |                    |           |          |                   |   |                       |           |  |   |                             |  |                           |
| Unapproved    | <u> </u> | <u> </u>           | <u> </u>  |          | <u> </u>          |   | <u> </u>              |           |  |   | <u> </u>                    |  |                           |
|               |          |                    |           |          |                   |   | AULT C                | ATE       | GORY                                       |   |                             |  |                           |
| Landi         |          | 1                  |           |          | <u> </u>          | General   | $\Box$                |           |  | <del></del>                             | 1                           | г  | ¬-                        |
|               | <u> </u> | Bending            |           |          |                   | Bend  | <b>—</b>              | ain       |  | _                                       | Ovalized                    |  | Pressure/Forced           |
|               | <u> </u> | Centre No          | ot Concer | ntric to | <sup>0/S</sup>  - | BOM/Route   | $\vdash$              | rdwa<br>  |  | ļ                                       | Over/Under                  | <u> </u>   | Temperature/Cure          |
|               | —        | Cracks             | C         |          | -                 | Broken/Damaged                                    | _                     | -         | on Incomplete                              | l to also a                             | Part Incorre                | <b>-</b>   | Weld                      |
|               | ⊢        | Crushed/0<br>Cuffs | crimpea.  |          | -                 | Burrs<br>Contamination                            | <b>—</b>              |           | ions Incomplete/<br>nance                  | Unclear                                 | Part Lost/Mi<br>Part Moved  | issing [   | Wrong Stock Pulled        |
|               | $\vdash$ | Heat Trea          |           |          | -                 | Countersink                                       | <b></b>               | slabe     |  | ļ                                       | 4                           | Mrana  |                           |
|               | -        | Inspection         |           | Tubo     | -                 | Cut Too Short                                     | $\boldsymbol{\vdash}$ | sreac     |  | <del> </del>                            | Positioned V<br>Power Loss/ |  | Other                     |
|               | $\vdash$ | Ripples in         | •         | iube     | -                 | Drill Holes                                       | $\vdash$              | fset      | •  | <u> </u>                                | Jrowei coss/                | onige [  | Other                     |
|               |          | Torque W           |           | vtrusio  | ຸ ⊢               | Drawing   | <del></del>           |           | Calibration                                |   |                             |  |                           |
|               | -        | Turning S          |           |          | '' <del> -</del>  | Finish  | $\vdash$              |           | Sequence                                   |   | <b></b>                     |  |                           |
|               |          | Wave/Tw            | -         |          |                   | Folio   | _                     |           | Dimensions                                 |   |                             |  |                           |

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order ID 93422 Page 3 November-19-12 10:07:01 AM D2938-2 Accept Item ID: \*N900040100\* Setup Start **Revision ID:** Saddle RH Out, 206 Item Name: Start Qty: 6.00 **Start Date:** 11/15/12 Cust Item ID: Required Date: 12/07/12 Req'd Qty: 6.00 **Customer:** Reference: Run Process Plan: **Tooling:** Date: Date: Approvals: QC: Date: SPC(Y/N): Date: \_\_\_\_ Tool ID Reject Sequence ID/ Operation Set Up/ Tool # Plan Accept Reject Insp. Qty Qty Number Stamp Work Center ID Description Code **Run Hours** QC3-Inspect Part Finish 0.00 160 6x 1 12/01/07 \*160\* 0.00 QC Memo Quality Control Identify as per dwg & Stock Location: 5745 . 0.00 170 \*170\* 0.00 Packaging Memo Packaging 180 QC21- Final Inspection - Work Order Release 0.00

QC

\*180\*

Memo

Quality Control

0.00

MUJ 13-0)-08 MUJ 13-01-08

| NCR: | Yes / N | work order non-conformance / u | UPDATE |
|------|---------|--------------------------------|--------|

Folio

|   |  |                                     |      |       |   |      |  | _   |   | DQA:   | Date  | :  |
|---|--|-------------------------------------|------|-------|---|------|--|---|---|--|---|--|
| NCR: Y  | es / No  |                                     |      |       | WORK ORDER NON  | -CON | IFORN  | /IANCE / UP                                       | DATE                                    | QA Closed:   | Date  | :  |
| Work Orde   | r:   |                                     |      |       | DISPOSITION   |      |  | · · · · · · · · · · · · · · · · · · ·             | AGAINST DE                              | PARTMENT   | /PROCESS                                      |  |
| Part N  | lo   |                                     |      |       | Rework<br>Scrap<br>Use-as-is<br>Work Order Update   |      | !<br>Therm   | Skid-tube  Machining noforming Large Fab          | Crosstube Small Fab Finishing Composite | <del>-</del> 4   | Water Jet d. Eng. Coor. re/Packaging Supplier | Engineering Quality Other                                      |
| Root  |  |                                     |      | Descr | iption of work order update   | 1    | nitial   | Ac  | tion                                    | Sign &   |   |  |
| Cause   | Date   | Step                                | Qty  |       | or Non-conformance  | Ch   | ief Eng  | Desc  | ription                                 | Date   | Verification                                  | QC Inspector   |
| Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Fraining Unapproved |  |                                     |      | ·     |   |      |  |   |   |  |   |  |
|   |  |                                     |      |       |   | FAUL | T CATE   | GORY  |   |  |   |  |
| Landir<br>r   | ng Gear  |                                     |      | r     | General   |      |  |   | _                                       | 7  | _   | <del></del>  |
|   | Bending Centre No Cracks Crushed/ Cuffs Heat Trea Inspection Ripples in Torque W | Crimped<br>it<br>n Strip in<br>Bend | Tube | -     | Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing |      | Instruct<br>Mainte<br>Mislabe<br>Misread<br>Offset | on Incomplete<br>ions Incomplete/<br>nance<br>led | /Unclear                                | Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V Power Loss/ | ct<br>issing<br>Vrong                         | Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other |
| 1   | Turning S  | equence                             |      |       | Finish  |      | Out of 9   | equence   |   |  |   |  |

Outside Dimensions

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

November-19-12 10:07:01 AM

Work Order ID:

93422

Parent Item:

D2938-2

Parent Item Name:

Saddle RH Out, 206

**Start Date:** 11/15/12

Required Date: 12/07/12

Start Qty: 6.00

Required Qty: 6.00

Comments:

IPP: B 00.06.26 New DWG rev (mpp 2069)EC IPP Rev: C As per Rev C 07-03-19 JLM

| Component Item ID/<br>Item Name | Replacement<br>Item ID | Mfg/<br>Purch | Bin<br>Item | Primary<br>Location | Last<br>Location | Route<br>Seq ID | Unit of<br>Measure |         | Qty per Kit | Total<br>Qty | Qty<br>Issued | Date<br>Issued | Statu |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|---------|-------------|--------------|---------------|----------------|-------|
| D6101-003                       |                        | Manufactured  | No          |                     |                  | 100             | Each               | 80.0000 | 1           | 6            | Λ             |                |       |
| Saddle Billet, 7075             |                        |               |             |                     |                  |                 |                    |         |             |              | KƏ            | 12/12          | -/3L  |
|                                 |                        |               |             | <b>Location</b>     |                  | Loc Qty         | <u>Lo</u>          | c Code  |             |              |               |                |       |
|                                 |                        |               |             | MAT040              |                  | 19              |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 7377                | 15               | 2               |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 7378                | 80               | 7               |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 7859                | 9                | 10              |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 807 <i>6</i>        | 55               | 0               |                    |         |             |              |               |                |       |
|                                 |                        |               |             | MAT042              |                  | 60              |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 9123                | 38               | 30              |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 9253                | 31               | 30              |                    |         |             |              |               |                |       |
|                                 |                        |               |             | MAT044              |                  | 1               |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 7376                | 69               | 1               |                    |         |             |              |               |                |       |
|                                 |                        |               |             | 02                  | Zia              |                 |                    |         | 6           | ,            |               |                |       |

43319

|               |        |      |     |        |                                |           |                        |                     | DQA:       | Date:                 |              |
|---------------|--------|------|-----|--------|--------------------------------|-----------|------------------------|---------------------|------------|-----------------------|--------------|
| NCR: Ye       | s / No |      |     |        | WORK ORDER NON-C               | CONFORM   | MANCE / UP             |                     | QA Closed: | Date:                 |              |
| Work Order:   | - · ·  |      |     |        | DISPOSITION                    |           |                        | AGAINST DEI         | PARTMENT   | /PROCESS              |              |
|               |        |      |     |        | Rework                         |           | Skid-tube              | Crosstube           |            | Water Jet             | Engineering  |
| Part No       |        |      |     |        | Scrap                          | ł I       | Machining              | Small Fab           | Pro        | d. Eng. Coor.         | Quality      |
| NCR No        |        |      |     |        | Use-as-is<br>Work Order Update | 4 4       | noforming<br>Large Fab | Finishing Composite | Rec/Sto    | re/Packaging Supplier | Other        |
|               |        |      |     |        |                                | <b>'</b>  |                        |                     | •          |                       |              |
| Root          |        |      |     | Descri | ption of work order update     | Initial   | Ac                     | ction               | Sign &     |                       |              |
| Cause         | Date   | Step | Qty |        | or Non-conformance             | Chief Eng | Desc                   | cription            | Date       | Verification          | QC Inspector |
| Doc/Data      |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Equip/Tooling |        |      |     |        |                                |           |                        |                     |            |                       | •            |
| Operator      |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Material      |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Setup         |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Other         |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Process       |        |      |     |        |                                |           |                        |                     |            |                       |              |
| Supplier      |        | ľ    |     |        |                                |           |                        |                     |            |                       |              |
| Training      |        |      |     |        | •                              |           |                        |                     |            |                       | }            |

## **FAULT CATEGORY Landing Gear** General Bending Bend Grain Ovalized Pressure/Forced BOM/Route Over/Under tolerance Temperature/Cure Centre Not Concentric to O/S Hardware Broken/Damaged Cracks Inspection Incomplete Part Incorrect Weld Crushed/Crimped. Instructions Incomplete/Unclear Wrong Stock Pulled Part Lost/Missing Burrs | Maintenance -Cuffs Contamination Part Moved Mislabeled Positioned Wrong Heat Treat Countersink Inspection Strip in Tube Cut Too Short Misread Power Loss/Surge Other Drill Holes Ripples in Bend Offset Torque Waves in Extrusion Drawing Out of Calibration Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio Outside Dimensions

Unapproved

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

| DART AEROSPACE LTD                            | Work Order:  | 93422       |
|---|--------------|-------------|
| Description: 206 Saddle, Outboard, Right side | Part Number: | D2938-2     |
| Inspection Dwg: D2938 Rev. C                  |              | Page 1 of 1 |

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

|     |       |          | `.                                    | Re   | corded Act       | ual Dimens | ions   |    |                                       |
|-----|-------|----------|---------------------------------------|--|------------------|------------|--------|----|---------------------------------------|
| Dim | Min   | Max      | Go/No Go<br>Gauge                     | 1  | 2                | 3          | 4      | Ву | Date                                  |
| Α   | 0.100 | 0.140    | •                                     | -108   | .110             | 011.       | -110   |    |                                       |
| В   | 0.100 | 0.140    |                                       | KO1 - 1  | 6113             | .109       | -112   |    |                                       |
| С   | 0.100 | 0.140    |                                       | • 112  | FILE             | -117       | -717   |    |                                       |
| D   | 0.210 | 0:230    |                                       | - 219  | ,720             | . 220      | - 220  |    |                                       |
| E   | 1.245 | 1.255    |                                       | 1.250  | 1,250            | 1.250      | 1,250  |    |                                       |
| F   | 1.245 | 1.255    |                                       | 1.250  | 1,250            | 1.250      | 1.250  |    |                                       |
| G   | 2.495 | 2.505    |                                       | 2.500  | 2.500            | 2,500      | 2,500  |    |                                       |
| Н   | 0.510 | 0.515    |                                       | 1512   | . 512            | .512       | , 512  |    |                                       |
|     | 1.572 | 1.582    |                                       | .512<br>1.577                                    | 1517             | 1,577      | 1.577  |    |                                       |
| J   | 2.495 | 2.505    |                                       | 2.500  | 2,500            | 2.500      | 002,3  |    | · · ·                                 |
| K   | 0.257 | 0.262    |                                       | .258   | . 25.8           | . 258      | 258    |    |                                       |
| L   | 0.312 | 0.317    |                                       | -314   | 0314             | .314       | •314   |    |                                       |
| M   | 0.235 | 0.240    |                                       | .237   | <sub>4</sub> 237 | .237       | 0 237  |    |                                       |
| N   | 0.100 | 0.140    |                                       | . 117  | ·117             | , 120      | .120   |    |                                       |
| 0   | 0.540 | 0.560    |                                       | - 551  | ,552             | •551       | , 551  |    |                                       |
| Р   | 0.490 | 0.510    |                                       | · 551  | -502             | .500       | .502   |    |                                       |
| Q   | 3.715 | 3.725    |                                       | 1 <i>1720</i>                                    | 3,720            | 3.720      | 3,720  |    |                                       |
| R   | 2.720 | 2.760    |                                       | 2.738<br>.25L                                    | 2740             | 2740       | 2.740  |    |                                       |
| S   | 0.240 | 0.270    | · · · · · · · · · · · · · · · · · · · | 751  | ء 252,           | . 253      | . 252  |    |                                       |
| T   | 0.100 | 0.180    |                                       | .135   | e 135            | -135       | .135   |    |                                       |
| Ū   | 1.625 | 1.635    |                                       | 1,630  | 1.630            | 1.630      | 1.630  |    |                                       |
| V   | 1.362 | 1.372    |                                       | 1.367  | 1.367            | 1,367      | 1.367  |    |                                       |
| W   | 0.316 | 0.321    |                                       | .316   | , 316            | .316       | 1316   |    |                                       |
| X   | 1.250 | 1.270    |                                       | 1.259  | 1,259            | 1,262      | 1.259  |    |                                       |
| Y   | 1.565 | 1.585    |                                       | 1,572  | 1.573            | 1.577      | 1.5745 |    |                                       |
| Ž   | 0.178 | 0.198    |                                       | .188   | , 199            | 189        | 0188   |    |                                       |
| ĀĀ  |       |          |                                       |  | 1.24             | 16100      | ·      |    |                                       |
| AB  |       |          |                                       | -  |                  |            |        |    |                                       |
| AC  |       | -        |                                       |  |                  |            |        |    | ···                                   |
| AD  |       |          |                                       |  |                  |            |        |    |                                       |
| AE  |       |          |                                       |  |                  |            |        |    |                                       |
| AF  |       |          |                                       |  |                  |            |        |    | · · · · · · · · · · · · · · · · · · · |
| AG  |       |          |                                       |  |                  |            |        | -  |                                       |
| AH  |       |          |                                       | <del>                                     </del> |                  |            |        |    |                                       |
|     | Acc   | ept/Reje | ct                                    |  |                  |            |        |    |                                       |

| Measured by: 70 FX      | Audited by 14       |  |
|-------------------------|---------------------|--|
| Date: 12/01/04 13/01/05 | Date: 9-89 /3/01/06 |  |

| Rev | Date     | Change   | Revised by | Approved |
|-----|----------|--|------------|----------|
| Α   |          | New Issue  | RF         |          |
| В   | 02.12.12 | Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690 | KJ/RF      | -1       |
| С   | 07.03.21 | Revised per drawing revision C                   | KJ/JLM o   |          |
|     | -        |  | 77         |          |


| DART AEROSPACE LTD                            | Work Order:  | 93422       |
|---|--------------|-------------|
| Description: 206 Saddle, Outboard, Right side | Part Number: | D2938-2     |
| Inspection Dwg: D2938 Rev. C                  |              | Page 1 of 1 |

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

|     | <del></del> | <del></del> |                   | Recorded Actual Dimensions |   |   |                   |  |              |
|-----|-------------|-------------|-------------------|----------------------------|---|---|-------------------|--|--------------|
| Dim | Min         | Max         | Go/No Go<br>Gauge | 5 4                        | 6 3                                     | 3 | 4                 | Ву   | Date         |
| Α   | 0.100       | 0.140       |                   | .110                       | .110                                    |   |                   | -  |              |
| В   | 0.100       | 0.140       |                   | -112                       | -113                                    |   |                   |  |              |
| С   | 0.100       | 0.140       |                   | 117                        | -119                                    |   |                   |  |              |
| D   | 0.210       | 0.230       |                   | . 220                      | . 223                                   |   |                   |  | 4            |
| Ē   | 1.245       | 1.255       |                   | 1.250                      | 1,250                                   |   |                   |  |              |
| F   | 1.245       | 1.255       | -                 | 1.250                      | 1.250                                   |   |                   |  |              |
| G   | 2.495       | 2.505       |                   | 2.500                      | 2.500                                   |   |                   |  |              |
| Н   | 0.510       | 0.515       |                   | . 512                      | .51Z                                    |   | <del></del>       |  |              |
| 1   | 1.572       | 1.582       |                   | 1.574                      | 1.577                                   |   |                   |  |              |
| J   | 2.495       | 2.505       | 7                 | 2.500                      | 2.500                                   |   |                   |  |              |
| K   | 0.257       | 0.262       |                   | , 258                      | . 258                                   |   |                   |  |              |
| L   | 0.312       | 0.317       |                   | .314                       | .314                                    |   |                   |  |              |
| M   | 0.235       | 0.240       |                   | .23F                       | .237                                    |   |                   |  |              |
| N   | 0.100       | 0.140       |                   |                            | .123                                    |   | -                 |  |              |
| 0   | 0.540       | 0.560       |                   | . 120                      | .551                                    |   |                   |  | <del></del>  |
| Р   | 0.490       | 0.510       |                   | .501                       | .551                                    |   |                   |  |              |
| Q   | 3.715       | 3.725       |                   | 3,720                      | 3,720                                   |   |                   |  |              |
| R   | 2.720       | 2.760       |                   | 2,740                      | 2,740                                   |   |                   |  |              |
| S   | 0.240       | 0.270       |                   | .252                       | . 253                                   |   |                   |  |              |
| Т   | 0-100       | 0.180       |                   | ./35                       | ./35                                    |   |                   |  |              |
| Ū   | 1.625       | 1.635       |                   | 1.630                      | 1.630                                   |   |                   |  |              |
| V   | 1.362       | 1.372       |                   | 1.367                      | 1,367                                   |   |                   |  |              |
| W   | 0.316       | 0.321       |                   | •3)6                       | .316                                    |   |                   |  |              |
| X   | 1.250       | 1.270       |                   | 1.260                      | 1,263                                   |   |                   | <u> </u>   |              |
| Υ   | 1.565       | 1.585       |                   | 1.575                      | 1,578                                   |   |                   |  |              |
| Ζ   | 0.178       | 0.198       |                   | ./84                       | , 188                                   |   |                   |  |              |
| AA  |             |             |                   | 1,00                       | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | · |                   |  |              |
| AB  |             |             |                   |                            |   |   |                   | 1- 1   |              |
| AC  |             |             |                   |                            |   |   | <del></del>       | 1 1  |              |
| AD  |             |             |                   |                            |   |   |                   | ++   | <del> </del> |
| AE  |             |             |                   |                            |   |   |                   | 1 - 1  |              |
| AF  |             |             |                   |                            | <del></del>                             |   |                   | +  |              |
| AG  |             |             |                   |                            |   |   |                   | <del>                                     </del> |              |
| AH  |             |             |                   |                            |   |   |                   | + +  |              |
|     | Acc         | ept/Reje    | ct                |                            | <u> </u>                                |   |                   | +  |              |
|     |             | ,           |                   |                            | <del></del>                             |   | <del>- 2/\2</del> |  |              |

| Measured by: Fk. | Audited by     |
|------------------|----------------|
| Date: 13/01/05   | Date: /3/01/04 |

| Rev | Date     | Change   | Revised by | Approved |
|-----|----------|--|------------|----------|
| А   |          | New Issue  | RF         |          |
| В   | 02.12.12 | Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690 | KJ/RF      | 1        |
| С   | 07.03.21 | Revised per drawing revision C                   | KJ/JLM     |          |
|     |          |  |            |          |



SH-Pi . ENG! UNCONT: 1 SUBJECT WHIRE NO 93422 MLJ 12-11-20